

INDEX MAPS.

T. 37 N. R. 8 W. 2nd Mer.

Meanders — 315, 318

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
<i>Lake Michigan.</i>					
30	29	28	27	26	25
31	32	33	34	35	36

314 318 317 317 314 315 311 311 311 311 311

T. 29 N. R. 9 W. 2nd Mer.

	329	329	329	328	328	328
332	6	5	4	3	2	1
	351	345	341	338	335	328
	350	344	341	337	334	
331	7	8	9	10	11	12
	350	344	340	337	334	327
	349	344	340	337	334	
331	18	17	16	15	14	13
	348	343	340	336	333	327
	348	343	339	336	333	
330	19	20	21	22	23	24
	347	342	339	336	333	327
	347	342	339	336	333	
330	30	29	28	27	26	25
	346	342	338	336	332	326
	346	342	338	335	332	
330	31	32	33	34	35	36
	345	341	338	335	332	326
	326	325	325	325	325	325

The figures on the lines refer to the page.

Township 29 North Range 9 West 2nd Mer. Ind. ³²⁵

South Boundary

West on South Side Section 36 Bar. 5° 55' E.
 40.00 Set gr. & sec. post in prairie where raise a mound
 51.00 Indian Trail North East
 80.00 Set post corner to Sec. 35 & 36 in prairie
 where raise a mound
 Land rolling prairie good soil but in places

West on South Side Sec. 35. (Bar 5° 58' E.)
 40.00 Set gr. & sec. post in prairie where raise a mound
 80.00 Set post cor. to Sec. 34 & 35 in prairie
 where raise a mound
 Land similar

West on South Side Sec. 34 (Bar 6° 00' E.)
 40.00 Set gr. & sec. post where raise a mound
 80.00 Set post cor. to Sec. 33 & 34 in prairie
 where raise a mound
 Land similar scattering stones

West on South Side Sec. 33 (Bar 6° 03' E.)
 40.00 Set gr. & sec. post where raise a mound
 80.00 Cor. to Sec. 32 & 33 where set post and
 raise a mound in prairie
 Land similar, rolling and dry

West on South Side Sec. 32 Bar. 6° 03' E.
 23.50 Enter Hickory grove & leave prairie
 26.28 an Elm 17 in. dia.,
 32.00 Leave grove & enter marsh
 40.00 Set gr. & sec. post in marsh from which
 a W. Oak 20 in. dia. bears East 8.72 lbs. dist.
 no other tree, water too deep for a mound
 53.00 Leave marsh & enter dry prairie
 80.00 Set post cor. to Sec. 31 & 32 in prairie

T²⁹ N. R. 9 W. 2nd Mer. Ind. Co.

Where raise a mound. E. of grove prairie
 Similar. grove level 1st rate timber land downst
 contain more than 15 acres W. of marsh
 prairie rolling, good soil, wet in places

West on South Side Sec. 31. (Var. 6° 03' E)

9.50 Enter marsh

20.00 Leave Do.

25.00 Enter Do.

28.00 - Leave Do.

40.00 Set gr. Sec. post in prairie

Where raise a mound
 81.05 Set post at intersection of Township line
 from the North for the S.W. Co. of T²⁹ N. R.
 9 W. in prairie, where raise a mound

The foregoing 6 miles is intended to be a
right line

Surveyed May 10th 1834 by

Robert Clark Jr.

Deputy Surveyor,

East Boundary

North on E. Side Sec. 36. (Var. 5° 55' E)

40.00 Set gr. Sec. post in dry prairie

Where raise a mound
 80.00 Set post cor. to Sec. 25 & 36 in prairie

Where raise a mound
 Land rolling dry prairie some small wet
 places, good soil,

North on East Side Sec. 25

4.00 Enter marsh

9.50 Leave Do

40.00 Set gr. Sec. post in dry prairie

Where raise a mound
 80.00 Set post cor. to Sec. 24 & 25 in prairie

⁴ When raise a mound, Sand Simlar

North on East Side Sec. 24
40.00 Set 90. Sec. post in prairie
When raise a mound
65.00 Enter Small Marsh
70.00 Leave do do & Enter oak barrens
80.00 Set post cor to Sec. 13 & 24 from which
a G. oak 18 in. dia. bears N. 69 $\frac{1}{2}$ W. 183 lbs. dist.
a Do 24 " " " S. 64 W. 194 " "
Prairie similar - barrens thinly timbered with oak

North on East Side Sec. 13
20.28 @ Y. oak 28 in. dia.
29.00 Enter West prairie
40.00 Set. gn. Sec. post from which
@ Y. oak 8 in. dia. bears N. 1 E. 2.50 lbs. dist.
@ Do 15 " " " N. 39 1/2 W. 2.19 " "
42.00 Leave prairie
80.00 Set post cor. to Sec. 12 & 13 from which
@ P. oak 9 in. dia. bears S. 37 1/2 W. 2.08 lbs. dist.
@ Do 7 " " " S. 63 W. 2.15 " "
Land rolling barrens 2nd rate (very thin)
timbered with Y. W. oak + P. oak

North on East Side Sec. 12
 4,50 Enter marsh
 14,00 Leave Do
 40,00 Set gr. Sec. post from which
 @ W. Oak 16 in. dia. bears S. 12 W. 39 lbs. dist.⁺
 @ Do 17 " " " N. 53 W. 15 " "
 42.77 @ Y. oak 7 " "
 46.00 Enter marsh
 80,00 Set post cor. to Secs. 1 & 12 from which
 @ Y. oak 8 in. dia. bears S. 89 $\frac{1}{2}$ E. 13.75 lbs. dist.⁺
 No other tree

O. 29. N. — R. 9 W. 2nd Sec. Mon, Indiana

Land South of Marsh Similar — marsh
covered with about 2 feet water

North	on East Side Sec. 1
28.50	Leave marsh
40.00	Set gr. Sec. post from which
	to P. oak 13 in. dia. bears N. 29 W. 2.03 lbs. dist.
	to W. oak 15 " " " S. 45 $\frac{1}{2}$ W. 1.35 " "
51.24	to P. oak 18 " "
72.94	to W. oak 16 " "
81.00	Enter marsh
84.23	Lower corner, Sec. 29 & 30 N. R. 8 & 9 W. —
	Surveyed in 1834 by
	Robert Clark Esq.
	Deputy Surveyor

North Boundary

	Var. 5° 56' E,
West	on South Side Sec. 36 T. 30 N. R. 9 W.
	Began in marsh
40.00	Set gr. Sec. post from which
	to Y. oak 20 in. dia. bears S. 39 E. 3.10 lbs. dist.
	to Do 4 " " " S. 60 $\frac{1}{2}$ E. 2.42 " "
80.00	Set post in marsh (water too deep to raise a mound) cor. to Sec. 35 & 36 scattering oak on East 50 chains soil poor,
West	on South Side Sec. 35 T. 30 N. R. 9 W.
40.00	Set gr. Sec. post no mound water too deep
80.00	Set post cor. to Sec. 34 & 35 no mound water too deep. Land all marsh poor,
West	on South Side Sec. 34 T. 30 N. R. 9 W.
40.00	Set gr. Sec. post from which
	to Y. oak 12 in. dia. bears S. 75 W. 1.11 lbs. dist.
	to Do 13 " " " S. 26 W. 1.61 " "

80.00	Set post cor. to Sec ^s 33 & 34 no mound Water too deep. Land as before
West	on South Side Sec 33 T. 30 N. R. 9 W.
31.50	Leave marsh
40.00	Set gr. Sec post from which @ G. oak 12 in. dia. bears N. 17 E. 70 lbs. dist. @ Do 10 " " " N. 9 W. 100 " "
72.52	@ W. oak 18 " "
80.00	Set post cor. to Sec ^s 32 & 33 from which @ G. oak 10 in. dia. bears N. 66 E. 34 lbs. dist. @ Do 10 " " " N. 11 $\frac{1}{2}$ W. 79 " " Land West of marsh rolling 2 nd rate Oak, East of marsh as before
West	on South Side Sec. 32 T. 30 N. R. 9 W.
6.45	@ G. oak 8 in. dia.
22.31	@ W. oak 14 " "
40.00	Set gr. Sec. post from which @ G. oak 22 in. dia. bears N. 38 E. 77 lbs. dist. @ W. oak 26 " " " N. 84 $\frac{1}{2}$ W. 150 " "
55.00	Enter Wet prairie
80.00	Set post cor. to Sec ^s 31 & 32 a mound can be made in dry time - Land East of prairie as before - Timber oak - prairie Second rate,
West	on South Side Sec. 31 T. 30 N. R. 9 W.
40.00	Set gr. Sec. post from which @ G. oak 12 in. dia. bears S. 70 W. 41 lbs. dist. @ W. oak 10 " " " S. 24 E. 33 " "
81.40	Set post cor. for Town in Water 2 or 3 feet deep no mound nor bearings Land all wet prairie Soil 2 nd rate (T. 29 & 30 N. R. 9 & 10 W.) Surveyed in 1834 by Robt Clark Jr. Dep. Sur.

T²⁹ N. - R. 9 W. 2nd Mer. Ind^o

West Boundary

North on East Side Sec. 36 T²⁹ N. R. 10 W.
 40.00 Set gr. Sec. post in prairie
 When raise a mound
 77.50 Enter marsh
 80.00 Set post cor. to Sec^s 25 & 36 in marsh -
 When raise a mound
 Land rolling prairie 3rd rate some
 low & wet places

North on East Side Sec. 25 T²⁹ N. R. 10 W.
 6.00 Leave marsh & enter dry prairie
 21.00 Enter marsh again
 25.00 Leave do & enter bettering timber
 30.00 Enter marsh again
 40.00 Set gr. Sec. post in marsh from which
 @ W. oak 13 in. dia. beaw S. 7¹/₂ W. 964 lbs. dist.
 no other tree, water too deep for mounds
 76.00 Leave marsh & enter barrens
 80.00 Set post cor. to Sec^s 24 & 25 from which
 @ W. oak 17 in. dia. beaw N. 38 W. 62 lbs. dist.
 @ Y. oak 20 " " " S. 35 W. 101 " "
 Dry land level poor having thin timber
 with W. & Y. oak

North on East Side Sec. 24 T²⁹ N. R. 10 W.
 40.00 Set gr. Sec. post from which
 @ W. oak 16 in. dia. beaw S. 79¹/₂ W. 63 lbs. dist.
 @ Do 17 " " " N. 87¹/₂ W. 51 " "
 50.00 ? Leave marsh
 63.50 @ Stream 100 lbs. wide crs. S. W. beaver creek
 Very sluggish
 68.00 Leave marsh
 71.00 @ Y. oak 19 in. dia.
 75.00 Point of creek marsh from S. W.

80.00 Set post cor. to Sec. 13 & 24 from which
 @ G. oak 16 in. dia. bears S $7\frac{1}{2}$ W. 57 8 the dist.
 @ W. oak 30 " " " N. 55 W. 145 " "
 Dry land South of marsh - level & low N. of do.
 rolling - both sides poor barrens, very thinly
 timbered with W. & Y. oak

North on East Side Sec. 13 T. 29 N. R. 10 W.
 2.00 Leave marsh
 3.27 @ G. oak 16 in. dia.
 40.00 Set gr. Sec. post from which
 @ W. oak 16 in. dia. bears N. 44 W. 52 the dist.
 @ Do 22 " " " S. 51 W. 43 " "
 70.00 Enter west prairie
 76.50 Leave do do
 80.00 Set post cor. to Sec. 12 & 13 from which
 @ R. oak 12 in. dia. bears S 16 W. 19 the dist.
 @ Do 12 " " " N. 5 E. 139 " "
 Land rolling, poor sandy barrens, thinly
 timbered with W. & Y. oak

North on East Side Sec. 12 T. 29 N. R. 10 W.
 8.00 Enter marsh
 35.00 Leave do
 37.51 @ G. oak 12 in. dia.
 40.00 Set gr. Sec. post from which
 @ G. oak 6 in. dia. bears N. 47 W. 30 the dist.
 @ Do 16 " " " S. 84 W. 150 " "
 55.00 Ind. Trail N. W.
 72.94 @ G. oak 12 in. dia.
 80.00 Set post cor. to Sec. 1 & 12
 @ R. oak 18 in. dia. bears N. 66 W. 128 the dist.
 @ Do 15 " " " S. 20 $\frac{1}{2}$ W. 236 " "
 N. of Marsh - land level low poor barrens, poor
 soil & thinly timbered. W. & Y. oak

T. 29 N. R. 9 W. 2 & 3 Sec. 10 & 11

Path on East Side Sec 1 T. 29 N. R. 10 W.
 40.00 Set gr. Sec. post from which
 a W. oak 16 in. dia. bears N. $17\frac{1}{2}$ W. 159 the dist.
 a H. Oak 10 " " " N. $74\frac{3}{4}$ E. 148 " "
 42.83 a W. oak 26 " "
 59.50 Enter marsh
 82.26 Town Corner, T. 29 & 30 N. R. 9 & 10 W.
 South 20.00 low & wet without timber dry
 part of remain der rolling poor & sandy
 Surveyed April 5 & 6. th 1884 by
 Robert Clark Sr
 Deputy Surveyor

Spl. Subdivisions
 (Var. 6.00' E)
 Path Between Sections 35 & 36
 40.00 Set gr. Sec. post, where raise a mound
 pit East 3 the dist.
 80.00 Set post cor to Sec. 25, 26, 35 & 36
 where raise a mound
 pit N. 3 the dist.
 Rich prairie first rate growth prairie grass

East on Random between Sec. 25 & 36
 40.00 Set gr. Sec. temporary post
 80.36 Intersect E. line of Sec. 47 the N. of post

West Corner line between Sec. 25 & 36
 40.18 Set gr. Sec. post where raise a mound
 pit E. 3 the dist.
 80.36 Section Corner
 Same & Same

Path Between Sections 25 & 26
 40.00 Set gr. Sec. post. where raise a mound
 pit East 3 the distant

333

Y 29 M. B. 9 W. 2nd Nov. Ind. C.

80.00	Set post cor. to Sec. 23, 24, 25 & 26 When raise a mound, pit S. 3 lks. dist. Rich prairie dry & sandy, land level growth prairie grass
East	on Random between Sec 24 & 25
40.00	Set gr. Sec. Temporary
80.60	Intersect East line of Sec. at post
West	Correct line between Sec 24 & 25
40.30	Set gr. Sec. post when raise a mound pit East 3 lks. dist.
80.60	Section corner, Land & c. same
North	Between Sections 23 & 24
40.00	Set gr. Sec. post when raise a mound pit East 3 lks. dist.
80.00	Set post cor. to Sec. 13, 14, 23 & 24 When raise a mound pit South 3 lks. dist. South half dry. North half very wet & marshy level. growth prairie grass.
East	on Random between Sec. 13 & 24
40.00	Set gr. Sec. Temporary post
65.25	Enter grove
80.25	Intersect E. line of Sec. 31 lks. N. of post
West	Correct line between Sec. 13 & 24
15.00	Enter prairie
40.12	Set gr. Sec. post when raise a mound pit E. 3 lks. dist.
80.25	Section corner, prairie level & wet Timber Burr & White oak; Oct. 30 th 1834
North	Between Sections 13 & 14

Dec 29^d N. B. & W. 2nd Mo. Ind.

- 24.50 Enter a small oak grove
34.00 Enter wet prairie
40.00 Set gr. Sec. post, where raise a mound
pit C. 3 lbs. dis.^t
46.50 Enter Timber
61.58 a Br. oak 15 in. diam.
80.00 Set post cor. to Sec. 11, 12, 13 & 14 from which
a W. oak, 22 in. dia. bears, S. 5 1/2 W. 2, 30 lbs. dis.^t
a Do 18 " " " N. 5 E. 2, 22 " "
Low, wet & in the Timber sandy, undergrowth
oak & Hophornbeam, Timber oak,

Cast on Random between Sep. 12 & 13

- 40.00 Set gr. Sec. Temporary post
48.55 a Brook 24 lbs. wide corner North
80.00 Intersect E. line of Sec. 13 lbs. N. of post

Woot Corn of line between S. 22, 12 & 13

- 15.00 @ Blk. Oak 24 in. dia.
31.45 Over Brook
40.00 Set gr. Sec. post as corrected from which
@ B. Oak 36 in. dia. height 62 E. 75 lbs. dist.
@ Do 24 " " " S. 63 W. 29 " "
50.00 @ Do 20 " "
80.00 Section Corner
Black & white Oak, undergrowth Sassa. Soil
thin & very sandy land moderately rolling

North Between Sections 11 & 12

- 10.00 Enter deep morass
40.00 Set gr. & c. post. Where raised a mound
pit East 3 lks. dist.
80.00 Set post cor. to the E. 1, 2, 11 & 12 no mound
nor bearings, Worst kind of marsh

East on Random between Sept. 1 + 12

80,21 Insect E. Boundary 58 lbs N. of post
Land very marshy,

West Correct line between Sec. 1 & 12
40.102 Set gr. Sec. post no mound no bearings
80.21 Section Corner

North "Between Sections 1 & 2
40.00 Set gr. Sec. post near the North side of the
marsh from which
2 No. oak 18 in. dia. bears N. $14\frac{1}{2}$ W. 153 lks. dist.
2 " 18 " " " N. 3 E. 1.5 " "
41.50 Enter grove of oak
45.00 Enter low prairie
58.00 Leave prairie & Enter oak grove
67.50 Enter marsh
82.64 Intersect N. Boundary 6 lks west of post, where
set post cor. to Secs 1 & 2. no mound nor
bearings. deep marsh, 73 + white oak,
Oct. 31st, 1834

North "Between Sections 34 & 35
40.00 Set gr. Sec. post when raise a mound
pit East 3 lks. dist.
80.00 Set post cor. to Sec. 26, 27, 34 & 35
When raise a mound, pit E. 3 lks. dist.
Land level dry rich prairie covered with
prairie grass,

Cast on Random between Sect. 26 + 35
80.09 Intersect P. line of Sect. 80 lth, N. of post

West Correct line between Sec. 26 + 35
40.04 1st gr. Sec. post where raise a mound
pit Post 3 lks. dist.
80.09 Section corner, land of same

T^y 29 N. - R. 9 W. 2nd Mer. Ind[@]

North Between Sections 26. & 27
 40.00 Set gr. Sec. post when raise a mound
 pit E. 3 lks. dist.
 80.00 Set post cor. to Sec. 22, 23, 26 & 27
 when raise a mound pit S. 3 lks. dist.
 Rich prairie level growth prairie grass

East on Random between Sec. 23 & 26
 79.58 Intersect E. line of Sec. 68 lks. N. of post
 No description. Nov 1st 1834

West Correct line between Sec. 23 & 26
 39.79 Set gr. Sec. post when raise a mound
 pit E. 3 lks. dist.
 79.58 Section corner, Land & C. same

North Between Sections 22 & 23
 40.00 Set gr. Sec. post when raise a mound
 pit E. 3 lks. dist.
 80.00 Set post cor. to Sec. 14, 15, 22 & 23
 when raise a mound pit S. 3 lks. dist.
 Land level & Rich prairie growth prairie grass

East on Random between Sec. 14 & 23
 80.62 Intersect E. line of Sec. 69 lks. N. of post
 Land & C. same

West Correct line between Sec. 14 & 23
 40.31 Set gr. Sec. post when raise a mound
 pit E. 3 lks. dist.
 80.62 Section corner

North Between Sections 14 & 15
 5.50 Enter small grove
 8.54 Leave " do & Enter prairie
 40.00 Set gr. Sec. post when raise a mound

6.50	Enter grove	pt East 3 M. distant
65.00	2 W. oak 30 in. diam.	
71.00	Enter marsh	
80.00	Set post cor. to Sec. 10, 11, 14 & 15	
	Where raise a mound, pt. S. 3 M. dist. Timber W. & B. oak. prairie grass all marshy Land nearly level, Nov. 2 nd , 1834	
East	on Random between Sec. 11 & 14	
73.00	Enter Timber	
80.90	Intersect E. line of Sec. 11, 3.10 M. N. of post	
	Land deep marsh except Timber	
West	Corner line between Sec. 11 & 14	
40.45	Set gr. Sec. post. no mound no bearings	
80.90	Section corner,	
North	Between Sections 10 & 11	
18.00	Leave marsh - Enter small grove of B. & W. oak,	
30.42	2 W. oak 24 in. diam.	
35.88	2 B. oak 20 " "	
36.25	Enter marshy prairie	
40.00	Set gr. Sec. post from which	
	2 W. oak 18 in. dia. bears S. 18 W. 4.35 M. dist.	
	2 B. oak 16 " " " S. 11 E. 4.03 " "	
80.00	Set post cor. to Sec. 2, 3, 10 & 11	
	no mound no bearings	
	(Very marshy except grove which is rolling)	
East	on Random between Sec. 2 & 11	
18.00	Enter pond	
31.50	Over Do	
50.31	Intersect E. line of Sec. 10 M. N. of post	
	Atc Marsh	

24th Nov. — R. 9 W. 2nd Mer. Ind^d

West Corner line between Sec. 2 & 11
 40.15 Set gr. Sec. post no mound no bearings
 80.31 Section corner,

North Between Sections 2 & 3.
 40.00 Set gr. Sec. post from which
 to Red oak 15 in. dia. bears N. 29 W. 1 chain
 to Do 18 " " " S. 57 E. 1.97 chs. dist.
 40.25 Leave marshy prairie & Enter grove
 41.45 to W. oak 24 in. dia.
 43.00 Enter marshy prairie
 82.50 Intersect N. Boundary 7th W. of post
 where set post cor. to Sec. 2 & 3
 no mound no bearings all marsh
 Dec^r 28, 1834

North Between Sections 33 & 34
 40.00 Set gr. Sec. post, no bearings
 80.00 Set post cor. to Sec. 27, 28, 33 & 34. no bear.
 Level rich prairie first rate growth prairie grass,

East on Random between Sec. 27 & 34
 80.00 Intersect E. line of Sec. 30 the N. of post
 Land & Soil same. Small wet places excepted

West Corner line between Sec. 27 & 34
 40.00 Set gr. Sec. post where raise a mound.
 pit E. 3 lks. distant
 80.00 Section corner,

North Between Sections 27 & 28
 40.00 Set gr. Sec. post. where raise a mound
 pit E. 3 lks. dist.
 80.00 Set post cor. to Sec. 22, 21, 27 & 28
 where raise a mound pit S. 3 lks. dist.
 Land gently rolling dry rich prairie

339

S. 29 N. R. 9 W. 2nd Mer. Ind. C.

East on Random between Sec. 22 & 27
80.34 intersect E. line of Sec. 36 1/2 m. N. of post
Land same, Nov 2nd 1834

West Correct line between Sec. 22 & 27
40.17 Set gr. Sec. post, when raise a mound
pit East 3 m. dist.
80.34 Section corner

North Between Sections 21 & 22
40.00 Set gr. Sec. post when raise a mound
pit East 3 m. dist.
43.50 Enter grove
48.50 @ W. oak 11 in. dia b
65.60 @ W. oak 7 " "
80.00 Set post corner to Sections 15, 16, 21 &
22 from which
@ W. oak 38 in. dia. bears S. 64 W. 33 m. dist.
@ Do 10 " " " N. 38 W. 53 " "
@ Do 30 " " " N. 63 E. 1.75 " "
@ Do 12 " " " S. 74 E. 2.71 " "
prairie low & rather wet Timber W. & B. oak
Aspen Sassafras, underground oak &
Sassafras

East on Random between Sec. 15 & 22
31.50 Leave grove & Enter wet prairie
79.81 Intersect E. line of Sec. 41 1/2 m. N. of post
Timber same as before

West Correct line between Sec. 15 & 22
39.90 Set gr. Sec. post when raise a mound
pit East 3 m. dist.
79.81 Section corner,
November 3rd 1834

T. 29 N. — R. 9 W. 2nd Mer. Ind^c

North	Between Sections 15 & 16
39.27	o Black oak 18 in dia,
40.00	Set gr. S. e. post from which
	o W. oak 15 in. dia. bears N. 37 $\frac{1}{2}$ W. 44 lbs dist.
	o "B. oak 12 " " " S. 55 E. 76 " "
45.00	Enter marshy prairie prairie
55.00	o Creek 150 lbs. wide comes west
66.50	Enter Scattering Timber
80.00	Set post cor. to Sec ^s 9, 10, 15 & 16 from which
	o W. oak 30 in. dia. bears N. 77. E. 4.00 lbs. dist.
	o Do 18 " " " S. 43 E. 84 " "
	o Do 18 " " " S. 4 $\frac{1}{2}$ W. 86 " "
	No tree near for corner. Land marshy level
	& sandy W. "B. Red oak, Soil poor.

East	on Random between Sec ^s 10 & 15
59.00	Enter marshy prairie
80.36	Intersect C. line of Sec ^s 10 lbs S. of post
	Land rolling, Timber oak, Black white &
	Red, Soil sandy & poor.

West	Corner line between Sec ^s 10 & 15
40.18	Set gr. S. e. post from which
	o W. oak 12 in. dia. bears N. 45 E. 34 lbs. dist.
	o Do 20 " " " S. 59 $\frac{1}{2}$ W. 17 " "
41.00	o W. Do 18 " "
80.36	Section corner.

North	Between Sections 9 & 10
15.95	o W. oak 12 inches diameter
26.00	Enter marshy prairie
40.00	Set gr. S. e. post from which
	o W. oak 10 in. dia. bears N. 51 W. 156 lbs. dist.
	o "B. oak 6 " " " N. 20 E. 177 " "
41.25	Enter Scattering Timber
74.38	o Black oak 20 inches in diameter

80.00 Set post cor. to Secs. 3, 4, 9 & 10 from which
 a W. Oak 15 in. dia. bears S. 26 $\frac{1}{2}$ E. 30 lks. dist.
 a Do 12 " " " N. 32 W. 94 " "
 Land somewhat rolling; Soil sandy & thin
 Timber W. W. & Red oak

Post on Randon between Secs. 3 & 10

59.00 Leave timber & Enter marshy prairie

80.18 Intersect E. line of Sec. 15 lks S. of post
 Land & Soil & Timber same as last line mark.
 Deep

Post Corner line between Secs. 3 & 10

25.00 a W. Oak 24 in. dia.

40.09 Set gr. Sec. post from which
 a W. Oak 24 in. dia. bears S. 79 $\frac{1}{2}$ E. 35 lks. dist.
 a Do 18 " " " N. 85 $\frac{1}{2}$ W. 11 " "

80.18 Section Corner.

North Between Sections 3 & 4

10.50 Leave timber & Enter prairie

40.00 Set gr. Sec. post, no mound nor bearings

53.50 Enter small grove

54.33 a W. Oak 18 in. dia.

58.50 Leave grove & Enter prairie

83.55 Intersect N. Boundary 2 lks west of post where
 Set post cor. to Secs. 3 & 4 no mound nor
 bearings, prairie west. Timber W. W. & Red oak
 Undergrowth none Soil light and sandy

Dec^r. 29th 1884

North Between Sections 32 & 33

40.00 Set gr. Sec. post where raise a mound
 pit East 3 lks. dist.

80.00 Set post cor. to Secs. 28, 29, 32 & 33 where
 raise a mound, pit South 3 lks. dist.

T. 29 N. R. 9 W. 2nd Mer. Indiana

E. L.	level dry prairie first rate, growth grass
East 80.50	on Random between Sect. 28 + 33 Intersect E. line of Sect. at post Land rich prairie first rate
West 40.25 80.50	Correct line between Sect. 28 + 33 Set gr. Sec. post. where raise a mound pit East 3 lks. dis. Section corner,
North 40.00 80.00	Between Sections 28 + 29 Set gr. Sec. post. where raise a mound pit East 3 lks. dis. Set post cor. to Sect. 20, 21, 28 + 29, where raise a mound, pit South 3 lks. dis. South half dry + good, North half best prairie Level
East 1.10 144.00 80.30	on Random between Sect. 21 + 28 Enter an oak grove Leave grove + enter prairie Intersect E. line of Sect. 36 lks N. of post
West 40.15 80.30	Correct line between Sect. 21 + 28 Set gr. Sec. post. where raise a mound pit East 3 lks. dis. Section corner, Generally dry level rich + sandy Nov 3 rd 1834
North 5.50 40.00 45.50	Between Sections 20 + 21 Enter scattering timber Set gr. Sec. post from which @ B oak 12 w. dis. bears S. 81 E. 180 lks. dis. @ W. oak 36 " " " N. 13 lks. 80 " " @ B. oak 12 " "

343

29th N. — R. 9th W. 2nd — Mon. Indiana

50.78 @ W. Oak 24 inches diam,
 72.00 Enter marsh
 80.00 Set post cor. to Secs 16, 17, 20 & 21 from which
 @ W. Oak 30 in. dia. bears S. 76 $\frac{1}{2}$ E. 6.81 lbs. dist.⁴
 no other tree near
 Timber Oak of all kinds. Soil Sandy, no underground
 -th, land level Soil poor

East on Random between Secs 16 & 21
 13.00 Leave marsh & Enter prairie with some undergrowth
 of Hazel,
 50.00 Enter timber
 79.50 Intersect E. line of Secs 50 lbs N. of post: oak
 of all kinds U.G. Same & Hazel

West Connect line between Secs 16 & 21
 15.50 @ W. Oak 18 in. dia.
 26.00 @ B. Oak 20 " "
 39.75 Set gr. Sec. post from which
 @ Red Oak 9 in. dia. bears S. 67 E. 3.90 lbs. dist.⁴
 @ B. Oak 12 " " " N. 59 $\frac{1}{2}$ W. 3.04 " "
 79.50 Section corner
 Land rolling, sandy and poor

North Between Sections 16 & 17
 1.00 @ Creek 150 lbs side corner West
 7.50 Enter timber
 23.82 @ B. Oak 24 in. diam,
 40.00 Set gr. Sec. post from which
 @ Red Oak 22 in. dia. bears S. 49 $\frac{1}{2}$ E. 9.5 lbs. dist.⁴
 @ Do 12 " " " N. 15 W. 1.59 " "
 55.00 Enter low prairie
 80.00 Set post cor. to Secs 8, 9, 16 & 17 from which
 @ B. Oak 20 in. dia. bears N. 76 E. 6.77 lbs. dist.⁴
 @ Do 12 " " " S. 79 $\frac{1}{2}$ E. 3.02 " "
 @ Red Oak 15 " " " N. 82 $\frac{1}{2}$ W. 5.17 " "

29th N. - R. 9 W. 2nd Mer. Ind.

C. L.	Land level thinly timbered with oak no W. o.
	Soil poor, no other bearing tree near
East	on Random between Sec. 9 + 16
4.50	Enter timber
79.30	Intersect E. line of Sec. 50 W. N. of post. land rolling sandy & poor thinly timbered with all kinds of oak
West	Corner line between Sec. 9 + 16
22.50	W. Blk. oak 18 in. dia.
30.00	W. W. oak 30 " "
39.65	Set gr. Sec. post from which
	W. W. oak 12 in. dia. bears N. 51 W. 129 W. dist.
	W. B. oak 12 " " " S. 60 W. 75 " "
46.50	W. Do 20 " "
79.30	Section corner
North	Between Sections 8 + 9
7.00	Enter Timber
8.38	W. B. oak 12 in. dia.
10.75	Enter prairie
110.00	Set gr. Sec. post from which
	W. W. oak 9 in. dia. bears N. 57 1/2 E. 2.50 W. dist.
	W. Do 24 " " " N. 9 1/2 W. 288 " "
42.00	Enter Timber
59.41	W. B. oak 15 in. dia.
73.21	W. Do 12 " "
80.00	Set post cor. to Sec. 4, 5, 8 + 9 from which
	W. B. oak 14 in. dia. bears S. 81 1/2 E. 65 W. dist.
	W. Do 18 " " " N. 38 1/2 W. 119 " "
	prairie wet, Timber Blk & W. oak, Soil very sandy & thin no undergrowth.
East	on Random between Sec. 4 + 9
79.84	Intersect E. line of Sec. 1 Ch. N. of post.

2
 O. 29 N. — B. 9 W. 2nd Nov. Ind. 345

C. L. Land somewhat rolling. Soil sandy poor, timber
 Black & white oak

West Corner line between Sec. 4 & 9
 39.92 Set 9th Sec. post from which
 @ Red Oak 12 in. dia. bears N. 88.95 W. 110. dist.
 @ B. Oak 18 " " " S. 82 W. 11.71 " "
 60.00 @ " Do 12 " "
 64.00 @ " Do 15 " "
 79.84 Section corner, Dec. 30, 1834

North Between Sections 4 & 5
 3.00 @ Black Oak 18 in. dia.,
 27.50 @ White Oak 18 " "
 39.52 @ " Do 18 " "
 40.00 Set 9th Sec. post from which
 @ B. Oak 15 in. dia. bears N. 60 E. 31 W. dist.
 @ W. Oak 26 " " " S. 26 W. 64 " "
 24.21 @ B. Oak 20 " "
 30.87 @ " Do 30 " "
 81.64 Intersect N. Boundary. 14 W. East of post, when
 Set post con. to Sec. 4 & 5 from which
 @ B. Oak 30 in. dia. bears S. 46 W. 29 W. dist.
 @ Do 18 " " " S. 53 E. 62 " "
 Timber B. & W. Oak land rolling Soil sandy
 January 2nd 1835

North Between Sections 31 & 32
 40.00 Set 9th Sec. post, when raise a mound
 pit East 3 W. dist.
 80.00 Set post con. to Sec. 29, 30, 31 & 32,
 when raise a mound, pit S. 3 W. dist.
 prairie rolling, sandy & gravelly, 2nd rate

East on Random between Sec. 29 & 32
 79.00 Intersect E. line of Sec. 49 W. N. of post

Sec 29 N. R. 9 W. 3rd Mo. Ind.

C. L.	prairie rolling soil rich
West	Corner line between Sec. 29 & 30
39.50	Set gn. Sec. post when rain a mound pit East 3 lks. dist.
79.90	Section corner,
West	on Random between Sec. 30 & 31
81.31	Intersect Range line 1.04 lks. S. of post Land rather rolling considerably wet Second rate
East	Corner line between Sec. 30 & 31
41.31	Set gn. Sec. post when rain a mound pit East 3 lks. dist.
81.31	Section corner, November 28 th 1834
North	Between Sections 29 & 30
40.00	Set gn. Sec. post in the bend of prairie near Timber from which a Br. oak 22 in. dia. bears S. 32 $\frac{1}{2}$ W. 17 lks. dist. a Do 14 " " " N. 79 W. 49 " "
80.00	Set post cor. to Sec. 19, 20, 29 & 30 When rain a mound pit S. 3 lks. dist. Level prairie rather low with many wet places and some Hoags
East	On Random between Sec. 20 & 29
75.76	Intersect C. line of Sec. 72 lks. N. of post Level prairie, considerably wet, some timber on each side of line,
West	Corner line between Sec. 20 & 29
26.00	a Br. oak 18 in. dia.,
39.38	Set gn. Sec. post from which

347

S₂₉ N. R. 9 W. 2^a Sec. 10. T. 20 N.

C.S. a Black Oak 36 in. dia bears N. 69 W. 103 the dist.
 a Do Do 48 " " " South 149 " "
 78.76 Section Corner,

West on Random between Sec. 19 & 30
 12.00 Enter timber
 81.88 Intersect Range line 40 the N. of post.
 Land level, Soil sandy & thin oak of all
 kinds. no undergrowth

East Corner line between Sec. 19 & 30
 a W. oak 20 in. dia bears N. 47 $\frac{1}{2}$ E. 102 the dist.
 a Do Do 24 " " " S. 55 E. 144 " "
 25.50 a B. oak 18 " "
 41.88 Set gr. Sec. post from which
 a W. oak 20 in. dia. bears S. 39 W. 287 the dist.
 a B. oak 18 " " " N. 57 E. 113 " "
 47.00 a B. do 20 " "
 51.53 Section Corner,

North Between Sections 19 & 20
 40.00 Set gr. Sec. post from which
 a B. oak 24 in. dia. bears S. 20 E. 377 the dist.
 a Bk. do 42 " " " N. 60 $\frac{1}{2}$ E. 127 " "
 47.00 Enter timber
 59.50 a White oak 24 in. dia.
 71.00 a Creek 125 the wide Course S. W.
 80.00 Set post cor. to Sec. 17 & 18, 19 & 20 from Nk.
 a B. Gum 24 in. dia. bears N. 51 E. 500 the dist.
 a B. oak 15 " " " N. 36 W. 304 " "
 no other tree near, marsh from creek,
 prairie dry & 2^a rate, timber oak of all kinds
 Land level

East on Random between Sec. 17 & 20
 4.50 Enter grove

29th M. B. 9 M. 2nd M. Indiana

10.00. Enter marsh
 35.00 Enter grove
 42.00 a creek 1.50 lks wide course westerly, offset
 N. & Ch. 8.36.80 to line S. & Ch. to within 87
 lks of post, very little timber, mostly marsh
 78.80 Intersect Md. line 87 lks N. of line

West Connect line between Sec. 17 & 20
 59.40 Set gr. S. & E. post from which
 a W. oak 24 in. dia. bears N. 51 $\frac{1}{2}$ E. 88 lks. dist.
 a Do Do 18 " " " S. 65 $\frac{1}{2}$ W. 1.40 " "
 78.80 Section corner,

West on Random between Sec. 18 & 19
 4.00 Enter timber
 37.50 Enter marshy prairie
 55.50 Leave same & enter timber
 62.62 Intersect Range line 29 lks N. of post, land
 rolling thirt & sandy W. Y. & Y. B. oak, W. B.
 same

East Connect line between Sec. 18 & 19
 a W. oak 30 in. dia. bears N. 43 $\frac{1}{2}$ E. 1.31 lks. dist.
 a Do Do 12 " " " S. 78 E. 2.37 " "
 7.21 a Blk oak 22 " "
 42.62 Set gr. S. & E. post from which
 a W. oak 36 in. dia. bears N. 34 W. 3.24 lks. dist.
 a Do Do 24 " " " S. 82 E. 2.97 " "
 55.00 a W. oak 30 " "
 62.62 Section corner,

Dec. 31st 1834

North Between Sections 17 & 18
 3.00 Enter timber
 8.16 a Blk oak 20 in. dia.
 37.46 a White oak 30 " "
 40.00 Set gr. S. & E. post from which

6.2, w 10, oak 24 in. dia. bears N. 33 $\frac{1}{2}$ E. 62 tho. dist.
 D Do Do 24 " " " S. 43 $\frac{1}{2}$ W. 25 " "
 80.00 Set post cor. to Sec. 7, 8, 17 & 18, from which
 w 13, oak 26 in. dia. bears N. 57 $\frac{1}{2}$ E. 8 tho. dist.
 D Do Do 24 " " " S. 26 E. 39 " "
 w 10, oak 30 " " " N. 33 $\frac{1}{2}$ W. 89 " "
 D Do Do 24 " " " S. 87 $\frac{1}{2}$ W. 76 " "
 Land level, Soil sandy & poor, thinly timbered
 with 13th 13th, & 10, oak & 13th gum no undergrowth,

East on Random between Sec. 8 & 17
 48.25 Enter wet prairie
 78.85 Intersect E. line of Sec. 1, chain N. of post
 Timber and Soil as it same as last line,

West Correct line between Sec. 8 & 17
 39.42 $\frac{1}{2}$ Set gr. Sec. post from which
 w 13, oak 18 in. dia. bears N. 58 E. 37 tho. dist.
 D Do 18 " " " S. 50 W. 17 " "
 48.50 w 10, oak 36 " "
 55.00 w 13, oak 36 " "
 78.85 Section Corner,

West on Random between Sec. 7 & 18
 58.00 Enter wet prairie
 77.50 Leave " " & Enter Timber
 81.94 Intersect Range line 17 tho N. of post
 Timber & Soil same as two last lines,

East Correct line between Sec. 7 & 18
 w 10, oak 22 in. dia. bears N. 44 $\frac{1}{2}$ E. 163 tho. dist.
 D Do 24 " " " S. 34 $\frac{1}{2}$ E. 139 " "
 41.94 Set gr. Sec. post from which
 w 10, oak 15 in. dia. bears N. 66 E. 30 tho. dist.
 w 13, oak 30 " " " S. 51 W. 54 " "
 48.60 w 10, oak 30 " "

J. 29 N. — B. 9 W. 2nd Mer. Ind.

51.94	Section corner,
North	Between Sections 7 & 8
1.96	W. oak 24 in. dia.
9.95	W. oak 18 " "
40.00	Set gr. Sec. post from which
	W. oak 24 in. dia. bears S. 38 W. 2.94 Mo. dist.
	W. oak 24 " " " S. 8 1/2 E. 3.44 " "
46.50	Enter prairie
50.00	Set post cor. to Sec. 5, 6, 7 & 8 from which
	W. oak 20 in. dia. bears N. 77 E. 3.75 Mo. dist.
	W. oak 18 " " " S. 82 E. 3.50 " "
	no other tree near, prairie marshy, timber
	oak scattering no undergrowth
	January 1 st 1835
East	on Random between Sec. 5 & 8
3.50	Enter timber
79.44	Intersect E. line of Sec. 50 Mo. N. of post
	Land level poor & sandy, timber W. & W.
	oak. no undergrowth
West	Correct line between Sec. 5 & 8
11.00	W. oak 18 in. dia.
27.50	White oak 15 " "
39.72	Set gr. Sec. post from which
	Red oak 10 in. dia. bears N. 69 1/2 E. 4.84 Mo. dist.
	W. oak 36 " " " S. 42 1/2 W. 3.42 " "
56.00	W. oak 10 " "
79.44	Section corner,
West	on Random between Sec. 6 & 7
40.00	Enter timber
51.91	Intersect Range line 33 Mo. N. of post
	prairie marshy, Black & White oak

East Correct line between Sect. 6 & 7
 @ Red oak 24 in. dia. bears S. 74 E. 152 lks. dist.
 @ W. oak 36 " " " N. 83 1/2 E. 179 " "
 41.91 Set gr. S. e. post. no mound nor bearings
 81.91 Section corner.

North Between Sections 5 & 6
 40.00 Set gr. S. e. post no mound nor bearings
 80.94 Intersect N. Boundary 41 lks. East of post
 where set post on. to S. of 5 & 6 no mound
 nor bearings. wet prairie

January 2nd, 1835

The prairie in this Township is generally rich & near the timber quite sandy, the timber is oak of all kinds shrubby & scattering & the soil sandy & poor, no stone or springs have come under my notice, the prairie in this region is universally covered with a coarse grass, called prairie grass, some old Indian trails nearly obliterated run through this Township, which I did not think worth noting, the creek running through this Township is called Beaver Creek & is said to be the outlet of the Beaver Lake. I could scarcely perceive a current at any place & as it is difficult many times to fix on its location, in running the line between Sections 1 & 2 I could not find the corner, I afterwards completed the line & corrected the notes according to the following page

Saml. Groenow

North Between Sections 1 & 2
 40.00 Set gr. S. e. post near the north side of the Marsh from which

29th N. - R. 9 W. 2nd Sec. Indiana

62. n W. Oak 18 in. dia. bears N. 14 1/2 W. 153 lks. dis.
 2 " Do 18 " " " N. 3 E. 157 " "
 41.50 Enter Oak grove
 45.00 Enter Low prairie
 58.00 Leave prairie & Enter Oak grove
 67.00 Enter marsh
 82.64 Intersect N. T. Boundary 6 lks west of post
 where set post cor. to Sec. 1 & 2 no mound nor
 bearings. Marsh deep timber Black & white
 oak.
 Dec. 27th 1834

Note. This note was transcribed in the proper place.

I hereby certify that in pursuance of a con-
 tract with Mr J. Williams Surveyor General
 of the United States, for the State of Ohio &
 Indiana & the Territory of Michigan, bearing
 date the 27th of September 1834 & in strict con-
 formity with the Laws of the United States &
 the instructions of the Said Surveyor General
 I have Surveyed & Subdivided into Sections
 Township No 29 North Range No 9 West of
 the 2nd principal Meridian in the State
 of Indiana, and I do further certify that the
 foregoing are the true & original field notes
 of the Said Survey & Subdivisions executed
 as aforesaid. Certified this 2nd of Jan 1838

Samuel Goodnow.

Deputy Surveyor

Frederick Lycklyter }
 Isaac Tomlinson } Chairmen
 William D. Porter Marker

T. 29 N. ~ R. 9 W. 2nd Mer. Ind^e 353

I certify that the foregoing transcript of field notes of Township 29 North of Range 9 West 2nd Meridian, State of Indiana, has been compared with the original in this office and found to be correct.

William Johnston
Sur. Genl.

Surveyor General's office
Cincinnati. Dec^r 30th - 1842
